Name of the Student:_____
Max. Marks : 25 Marks **Time : 25 Minutes**

Q1.

(a) Some scientists thought that the waste water from a waste disposal factory contained **two** sodium halides.

They tested a sample of the waste water.

They added three reagents, one after the other, to the same test tube containing the waste water.

The table below shows their results.

Reagent added	Observations
1. Silver nitrate solution (acidified with dilute nitric acid)	A cream precipitate formed
2. Dilute ammonia solution	A yellow precipitate remained
3. Concentrated ammonia solution	The yellow precipitate did not dissolve

(i) Identify the yellow precipitate that did **not** dissolve in concentrated ammonia solution.
Write the **simplest** ionic equation for the formation of this precipitate from silver ions and the correct halide ion.
Identify the other sodium halide that must be present in this mixture of two sodium halides.

_____

_____

_____

_____

(3)

(ii) Give **one** reason why the silver nitrate solution was acidified before it was used in this test.

_____

_____

_____

(1)

Downloaded from www.merit-minds.com

(iii) The method that the scientists used could **not** detect one type of halide ion. Identify this halide ion.
Give **one** reason for your answer.

_____

_____

_____

_____

(2)

(b) The scientists thought that the waste water also contained dissolved barium ions. An aqueous solution of sodium sulfate can be used to test for the presence of dissolved barium ions.

Write the **simplest** ionic equation for the reaction between barium ions and sulfate ions to form barium sulfate.

State what is observed in this reaction.

Give a use for barium sulfate in medicine and explain why this use is possible, given that solutions containing barium ions are poisonous.

_____

_____

_____

_____

_____

_____

_____

_____

(4)

(c) The scientists also analysed the exhaust gases from an incinerator used to destroy waste poly(ethene).
Mass spectrometry showed that there was a trace gas with a precise M_r = 28.03176 in the exhaust gases from the incinerator.

The table below contains some precise relative atomic mass data.

Atom	Precise relative atomic mass
^{12}C	12.00000
^{1}H	1.00794
^{16}O	15.99491

Use the data to show that the trace gas is ethene. Show your working.

Suggest why both ethene and carbon monoxide might have been identified as the trace gas if

Downloaded from www.merit-minds.com

the scientists had used relative atomic masses to a precision of only one decimal place.

Write an equation for the incomplete combustion of ethene to form carbon monoxide and water only.

Ethene is used to make poly(ethene).
Draw the displayed formula for the repeating unit of poly(ethene).
Name this type of polymer.

(5)

(Total 15 marks)

Downloaded from www.merit-minds.com

Q2.

Copper(II) sulfate solution, together with copper(II) carbonate ($CuCO_3$) powder, can be used to determine the identity of three solutions **A, B** and **C**. The three solutions are known to be hydrochloric acid, barium chloride, and sodium chloride.

In **Experiment 1** a small amount of copper(II) carbonate powder was added to each of the three solutions.

In **Experiment 2** a dropping pipette was used to add 2 cm^3 of copper(II) sulfate solution to each of the three solutions.

The results of these experiments are shown in the table below.

	Experiment 1 Addition of copper(II) carbonate powder	**Experiment 2** Addition of copper(II) sulfate solution
Solution **A**	no visible change	white precipitate
Solution **B**	no visible change	no visible change
Solution **C**	effervescence (bubbles of gas)	no visible change

(a) Use the observations in the table to deduce which of the solutions, **A, B** or **C** is

hydrochloric acid _____

barium chloride _____

(2)

(b) Explain why a precipitate was formed when copper(II) sulfate solution was added to solution **A**.
Write an equation for the reaction that occurred.

Explanation _____

_____

Equation _____

(2)

(c) Suggest the identity for the colourless gas produced when copper(II) carbonate powder was added to solution **C**.

_____

(1)

(d) Identify the two reagents that could be used in a test to confirm that the solutions contained chloride ions, **not** bromide ions. State what would be observed on addition of each reagent.

Reagent 1 _____

Downloaded from www.merit-minds.com

Observation 1 _____

_____

Reagent 2 _____

Observation 2 _____

_____

(4)

(e) Copper(II) sulfate is toxic. Suggest **one** safety precaution you would take to minimise this hazard when wiping up a spillage of copper(II) sulfate solution.

_____

(1)

(Total 10 marks)

Downloaded from www.merit-minds.com