

Name of the Student: _____

Max. Marks : 29 Marks

Time : 29 Minutes

Mark Schemes

Q1.

- (a) **M1** acidified potassium dichromate or $K_2Cr_2O_7 / H_2SO_4$

OR $K_2Cr_2O_7 / H^+$ **OR** acidified $K_2Cr_2O_7$

M2 (orange to) green solution **OR** goes green

M3 (solution) remains orange or no reaction or no (observed) change

*If no reagent or incorrect reagent in **M1**, **CE = 0** and no marks for **M1**, **M2** or **M3***

*If incomplete / inaccurate attempt at reagent e.g. "dichromate" or "dichromate(IV)" or incorrect formula or no acid, **penalise M1 only and mark on***

*For **M2** ignore dichromate described as "yellow" or "red"*

*For **M3** ignore "nothing (happens)" or "no observation"*

Alternative using $KMnO_4 / H_2SO_4$

M1 acidified potassium manganate(VII) / potassium permanganate or $KMnO_4 / H_2SO_4$

OR $KMnO_4 / H^+$ **OR** acidified $KMnO_4$

M2 colourless solution **OR** goes colourless

M3 (solution) remains purple or no reaction or no (observed) change

*For **M1***

*If incomplete / inaccurate attempt at reagent e.g. "manganate" or "manganate(IV)" or incorrect formula or no acid, **penalise M1 only and mark on***

*Credit alkaline $KMnO_4$ for possible full marks but **M2** gives brown precipitate or solution goes green*

3

- (b) **M1** (Shake with) Br_2 **OR** bromine (water) **OR** bromine (in CCl_4 / organic solvent)

M2 (stays) orange / red / yellow / brown / the same

OR no reaction **OR** no (observed) change

M3 decolourised / goes colourless / loses its colour / orange to colourless

*If no reagent or incorrect reagent in **M1**, **CE = 0** and no marks for **M1**, **M2** or **M3***

*If incomplete / inaccurate attempt at reagent (e.g. Br), **penalise M1 only and mark on***

*No credit for combustion observations; **CE = 0***

*For **M2 in every case***

Ignore “nothing (happens)”

Ignore “no observation”

Ignore “clear”

OR as alternatives

Use KMnO_4 / H_2SO_4

M1 acidified potassium manganate(VII) / potassium permanganate **OR**
 KMnO_4 / H_2SO_4

OR KMnO_4 / H^+ **OR** acidified KMnO_4

M2 (stays) purple or no reaction or no (observed) change

M3 decolourised / goes colourless / loses its colour

Use iodine

M1 iodine or I_2 / KI or iodine solution

M2 no change

M3 decolourised / goes colourless / loses its colour

Use concentrated sulfuric acid

M1 concentrated H_2SO_4

M2 no change

M3 brown

***For M1**, it must be a whole reagent and / or correct formula*

For M1** penalise incorrect attempt at correct formula, but mark **M2** and **M3

With potassium manganate(VII)

*If incomplete / inaccurate attempt at reagent e.g. “manganate” or “manganate(IV)” or incorrect formula or no acid, **penalise M1 only and mark on***

*Credit alkaline / neutral KMnO_4 for possible full marks but **M3** gives brown precipitate or solution goes green*

Apply similar guidance for errors in the formula of iodine or concentrated sulfuric acid reagent as those used for other reagents.

3

(c) **M1** Any soluble chloride including hydrochloric acid (ignore concentration)

M2 white precipitate or white solid / white suspension

M3 remains colourless or no reaction or no (observed) change or no precipitate or clear solution or it remains clear

OR as an alternative

M1 Any soluble iodide including HI

M2 yellow precipitate or yellow solid / yellow suspension

M3 remains colourless or no reaction or no (observed) change or no precipitate or clear solution or it remains clear

OR as an alternative

M1 Any soluble bromide including HBr

M2 cream precipitate or cream solid / cream suspension

M3 remains colourless or no reaction or no (observed) change or no precipitate or clear solution or it remains clear

OR as an alternative

M1 NaOH or KOH or any soluble carbonate

M2 brown precipitate or brown solid / brown suspension with NaOH / KOH
(white precipitate / solid / suspension with carbonate)

M3 remains colourless or no reaction or no (observed) change or no precipitate or clear solution or it remains clear

*If no reagent or incorrect reagent or insoluble chloride in **M1**, **CE = 0**
and no marks for **M1**, **M2** or **M3***

Allow chlorine water

*If incomplete reagent (e.g. chloride ions) or inaccurate attempt at
formula of chosen chloride, or chlorine, **penalise M1 only and mark on***

*For **M2** require the word “white” and some reference to a solid. Ignore
“cloudy solution” OR “suspension” (similarly for the alternatives)*

*For **M3***

Ignore “nothing (happens)”

Ignore “no observation”

Ignore “clear” on its own

Ignore “dissolves”

3

(d) **M1** Any soluble sulfate including (dilute or aqueous) sulfuric acid

M2 remains colourless or no reaction or no (observed) change or no precipitate or clear solution or it remains clear

M3 white precipitate or white solid / white suspension

*If no reagent or incorrect reagent or insoluble sulfate in **M1**, **CE = 0** and
no marks for **M1**, **M2** or **M3***

Accept MgSO_4 and CaSO_4 but not barium, lead or silver sulfates

*If concentrated sulfuric acid or incomplete reagent (e.g. sulfate ions) or
inaccurate attempt at formula of chosen sulfate, **penalise M1 only and mark on***

*For **M3** (or **M2** in the alternative) require the word “white” and some
reference to a solid.*

Ignore “cloudy solution” OR “suspension”

*For **M2** (or **M3** in the alternative)*

Ignore "nothing (happens)"

Ignore "no observation"

Ignore "clear" on its own

Ignore "dissolves"

OR as an alternative

M1 NaOH or KOH

M2 white precipitate or white solid / white suspension

M3 remains colourless or no reaction or no (observed) change or no precipitate or clear solution or it remains clear

*If incomplete reagent (e.g. hydroxide ions) or inaccurate attempt at formula of chosen hydroxide, **penalise M1 only and mark on***

*If **M1** uses NH_3 (dilute or concentrated) **penalise M1 only and mark on***

3

[12]

Q2.

(a) Reagent

Acidified
 $K_2Cr_2O_7$

Acidified
 $KMnO_4$

I_2 / NaOH

Named
RCOOH with HCl or H_2SO_4

Named
RCOCl

Allow names including potassium permanganate

Wrong or no reagent CE = 0

1

P (ketone)

no reaction

no reaction

Yellow ppt

no reaction

no reaction

Penalise incorrect formulae or incomplete reagent, such as $K_2Cr_2O_7$ or acidified dichromate, but mark on.

1

S (2° alcohol)

(orange to) green

(purple to) colourless

no reaction

fruity or sweet smell

Misty fumes

Allow no change or nvc but penalise nothing or no observation

If 2 reagents added sequentially or 2 different reagents used for P and S then CE = 0

1

(b) Tollens'
silver mirror / solid

1

Fehling's / Benedicts
red ppt

1

(c) **G**
P

If not P then no marks for clip

1

5 OR five

1

(d) $C_4H_{12}Si$

Must be molecular formula

Wrong substance CE = 0 for clip

1

Any **two** from

- One or single peak OR all (four) carbon atoms are equivalent or one environment
- upfield from others or far away from others or far to right
- non toxic OR inert
- low boiling point or volatile or easy removed from sample

1

Ignore and don't credit single peak linked to 12 equivalent H or has a peak at $\delta = 0$

but use list principle for wrong statements

1

1

(e) Figure 1 is **R**

*If not **R** cannot score M2*

M1

1

90–150 (ppm) or value in range is (two peaks for) C = C / alkene

M2

1

Figure 2 is **T**

*If not **T** cannot score M4 or M5*

M3

1

50-90 (ppm) or value in range is C—O or alcohol or ether

M4

1

two peaks (so not S which would have only one)


M5

1

(f)

U













$C_6H_{12}O_6$




1

Answers include

V



Not allow S



because V must be an isomer of S

[17]